

# About Retail Software Solutions and TAMMSOnline

Retail Software Solutions has over 16 years experience in the Point of Sale software business for the Buy, Sale and Trade industry. We are located in Plano, Texas and have 3 software developers, 2 systems engineers and 2 back office billing staff. We are a Texas Corporation.

In 1992 Jeff Benton was introduced to Mark Kane of CD Warehouse and was asked to create a POS system for his new chain of stores. This was the inception of TAMMS. The TAMMS software was later modified to support the DVD and Video Game line of products and the rental of these and other items. In 2001 we were selected by Blockbuster Entertainment to help bring the Buy, Sale and Trade concept to their stores. In 2003, we were selected by Virgin Atlantic Ltd. of London to modify the TAMMSOnline software for a trial in their retail stores in the UK, also in 2003 we partnered with Best Buy to review a system that allowed Best Buy to gather customer buy prices from the TAMMSOnline System. In 2007 we change our corporate name from ObjectDev, Inc. to Retail Software Solutions, Inc. to better describe our business to the public.

Over the last 16 years we have seen the TAMMS software line grow from a single user DOS based application to a multi user, multi chain windows console mode application. All our systems now run from a central data center in downtown Dallas. All applications are run on clustered Windows 2003 Enterprise servers with Sybase and SQL Server backend databases. We backup all data to redundant robotic tape systems each night. One set of the tapes stay onsite for rapid recovery if needed and another set are stored offsite at Iron Mountain data storage.

We also support processing to Amazon for e-commerce sales of product. As stated by Amazon our clients using our systems make up over 40% of all music uploaded to Amazon. Our servers on average upload over 300,000 items to Amazon every 24 hours. We also support Leadsonline by tracking items purchase from customers and uploading the customer and purchase detail data every night to the Leadsonline database. This is an option that each store can select to upload or not.


Our goal is to continue to evolve and enhance the TAMMSOnline application to support our customer needs and the changes in the industry. On average we do a system update every 30 – 60 days. Custom changes are welcome from our clients with the ability to mark some changes as only for your chain and no other client can have access to the changes unless you agree to it. We also operate a 24 hour/ 7 day a week helpdesk system that is monitored by on-call staff and is recorded and reported on by an in house application.

Thank you for your interest in TAMMSOnline.



Jeff A. Benton  
Chief Technology Officer

# TAMMSOnline Time Line



# **Customer Profiles**

## Customer Profile



Company:	<b>Vintage Stock</b>
Location(s):	<b>Missouri, Texas (Movie Trading Company), Oklahoma, Arkansas, Kansas</b>
Customer Since:	<b>2008</b>
# of Stores:	<b>22 + 1 Warehouses (Vintage Stock), 11 + 1 Warehouse (Movie Trading Company)</b>
# of POS per store:	<b>3 stations (Vintage Stock), 5 – 7 stations (Movie Trading Company)</b>
Avg. Size of Store:	
SQFT:	<b>5,000 (Vintage Stock), 7,000 (Movie Trading Company)</b>
Product:	18,000 skus / 34,250 items (Vintage Stock) 30,580 skus / 60,857 items (Movie Trading Company)
Contact(s):	Rodney Spriggs (CEO), Ken Caviness (CFO)
Main Number:	417-623-1550

Vintage Stock has just completed a system migration from the RetailPro Point of Sale System to the TAMMSOnline System. They are using the TAMMS Point of Sale System, Product Master System, Gift Card System, Store Value System, Credit Card and Check Imaging Systems and the Time Clock Modules.

22 locations and 2 Warehouse's have been converted to TAMMSOnline. Another 11 Locations in Texas will be converted during the month of October 2008 from an in-house point of sale system.



## Customer Profile



Company:	<b>Buybacks</b>
Location(s):	<b>Texas, Ohio, Pennsylvania, Kansas, Indiana</b>
Customer Since:	<b>2004</b>
# of Stores:	<b>21</b>
# of POS per store:	<b>2 stations</b>
Avg. Size of Store:	
SQFT:	<b>n/a</b>
Product:	<b>n/a</b>
Contact(s):	<b>Jason Hinkle</b>
Main Number:	<b>512-786-8599</b>

Buybacks was converted from the CD Warehouse in-house system in 2004. They are using the TAMMS Point of Sale System, Gift Card System, Amazon Pricing Interface and the Advanced Amazon System.

## Customer Profile



Company:	<b>EntertainMart</b>
Location(s):	<b>Texas, Missouri, Colorado</b>
Customer Since:	<b>2003</b>
# of Stores:	<b>4</b>
# of POS per store:	<b>25 stations</b>
Avg. Size of Store:	
SQFT:	<b>35,000</b>
Product:	<b>250,000 items</b>
Contact(s):	<b>Mark Kane</b>
Main Number:	<b>972-741-2845</b>

EntertainMart started with the TAMMSOnline POS in 2003. They are using the TAMMS Point of Sale System and Product Master Systems.

# **Hardware and Supplies**

# Epson

# TM-T88IV

## POS Printer



The TM-T88IV thermal printer is the latest addition to Epson's innovative, industry-leading TM-T88 POS printer series.

Designed specifically for high-volume retail and food service environments, the TM-T88IV delivers more speed and more reliability than ever before. It offers 25% faster printing of text and graphics than the TM-T88III, two-color capability and more ease-of-use features.

#### Fast two-color printing of text and graphics

Now you can speed customer transactions with the TM-T88IV printer. It prints receipts at speeds of up to 200mm (7.9 inches) per second—25% faster than the TM-T88III and, unlike other printers, the TM-T88IV prints text and graphics at the same fast speed. In addition, its two-color red and black printing capabilities can be used to highlight order changes to minimize kitchen errors and create attention-getting color logos and impactful marketing messages.

#### Designed for ease-of-use and convenience

The TM-T88IV's small footprint is ideally suited for both retail and food service environments. The printer can be placed either on the counter-top or wall using an optional wall-hanging bracket, whichever is most convenient. It also features easy, drop-in paper loading, an autocutter, an improved cover design to protect from spills and an optional annunciator to alert wait staff when kitchen orders are ready.

#### Reliability you can count on

The TM-T88IV boasts even more reliability than the TM-T88III. With a MCBF of 52 million lines, a MTBF of 360,000 hours and an autocutter life of 1.5 million cuts, the TM-T88IV printer delivers the outstanding reliability that is critical in high-volume environments.

#### Integration made easy

With Epson's wide range of Connect-It™ interfaces, the TM-T88IV is compatible with today's best-of-breed and component-based systems. Interface options are available for high-speed USB, serial, parallel, Ethernet and wireless. The TM-T88IV also has the same external dimensions as the TM-T88III for easy drop-in replacement.

#### Backed by the leader

The TM-T88IV features the quality and reliability that Epson is known for and is backed by Epson's two-year warranty.

- High-speed printing of up to 7.9"/sec. — 25% faster than the TM-T88III
- Same fast print speed for both text and graphics
- Two-color printing of receipts including logos and all other graphics
- Ease-of-use features including drop-in paper loading, long-lasting autocutter and Auto Status Back messages
- Improved cover design for increased spill resistance
- Optional power supply case
- Two-year warranty

# Epson TM-T88IV POS Printer

Printer Specifications		TM-T88IV
<b>General</b>	Print method	Thermal line printing
	Print font	
	Font	9 x 17/12 x 24
	Column capacity	56/42 columns
	Character size	Font A: 1.41 x 3.39 Font B: 0.99 x 2.40 Kanji: 3.39 x 3.39 (W x H mm)
	Character set	95 Alphanumeric, 37 International, 128 x 11 Graphic (including user-defined page) Traditional/Simple Chinese, Thai, Japanese, Korean
	Barcode	UPC-A/E, CODE 39/93/128, EAN8/13, ITF, CODABAR 2D symbols: PDF417, QR-CODE
<b>Printer</b>	Interface*	RS-232C, IEEE 1284 parallel; RS-485; high-speed USB; 10/100Base-T/TX; wireless
	Data buffer	Receive: 45 bytes or 4KB, selectable; user-defined: 12KB; macro: 2KB; NV graphics: 256KB; NV user: 1KB; page mode area: 106K
	Print speed (max.)	7.9"/second (200mm) graphics and text; 3.9"/second in 2-color print mode
	Paper dimensions	3.13" ± 0.02" x 3.27" diameter (79.5 ± 0.5(W) x 83mm)
	Paper thickness	55 – 80 µm
	Power	24 VDC ± 7%
	Power consumption	Approx. 1.8 A (mean)
	D.K.D. function	2 drivers
	Reliability	
	MTBF	360,000 hours
	MCBF	52,000,000 lines
	Autocutter	1.5 million cuts
	Overall dimensions	5.71 x 7.68 x 5.83" (W x D x H) (145 x 195 x 148mm)
	Mass	3.96 lb (1.8 kg)
	Color	ECW, EDG
	Factory options	Power supply cover, PS-180 AC adapter, wall-hanging bracket, affixing tape and Connect-It interfaces*
<b>Control Board</b>	EMI standards	FCC/ICES-003 Class A
	Safety standards	UL1950/CSA C22.2 No. 950


Inch values are approximate.

dpi: dots per 25.4mm (dots per inch)

cpi: characters per 25.4mm (characters per inch)

lps: lines per second

\*To find out more about our line of Connect-It interfaces, talk to your Epson Sales Representative.



Optional power supply case  
secures cords under printer.



Power supply case fits under printer  
without increasing footprint size.





# Zebra® Desktop Series

Thermal, On-Demand Label, Receipt,  
and Tag Printers

## **High-quality desktop printers deliver unmatched reliability and versatility.**

Zebra's Desktop printer family offers a comprehensive choice of direct thermal (LP) and thermal transfer (TLP) models for 2- and 4-inch wide printing—each with distinctive characteristics to ensure your specific application is fully satisfied.

## **Small Size with No Compromise in Performance**

Media loading is simplified thanks to the OpenACCESS™ design, which tucks the printhead into the printer's top cover, and provides a clear media window for easy monitoring. Just drop the media in, shut the cover, and start printing! Maximize workplace efficiency with a 5-inch media roll capacity (for fewer label roll changes) and a space-saving, compact design. Their durable, dual-wall construction ensures that Desktop series printers will withstand rough handling in your busy work environment.

## **Flexible Networking and Connectivity**

For optimal integration in today's IT environments, select from serial, parallel, and USB interfaces, or opt for Ethernet networking via Zebra's ZebraNet® PrintServer II. Zebra's ZPL II®-based desktop printers offer easy-to-use advanced printer management with ZebraNet™ Bridge Enterprise.

The Desktop series printers integrate easily into a variety of mid- to low-volume printing applications including:

- Shipping/Receiving
- Warehouse shelf labeling and inventory control
- Healthcare specimen labeling and patient tracking
- Retail product marking, shelf labeling, and coupon and receipt printing
- Transportation/Logistics
- E-commerce postage



# EPL™ Desktop Series

## Zebra's Eltron Programming Language



**LP/TLP 2824™**

Ideal for retail and other low- to mid-volume label applications, the value-packed, ultra-compact LP/TLP 2824 printers for 2-inch-wide printing redefine the compact printer class. They fit into areas other printers can't, while they optimize productivity with a full 5-inch media capacity and a maximum print speed of 4 inches per second.

### ▶ LP/TLP 2824

#### **MAXIMUM PRINT AREA**

Width: 2.2"/56 mm

Length in page mode (2" wide):

11"/279 mm (with standard memory)

22"/558 mm (with optional memory)

Length in line mode: Unlimited (LP only)

#### **RESOLUTION**

203 dpi/8 dots per mm

#### **MEMORY**

Standard: 512 KB Flash; 128 KB SRAM

Optional: 1 MB Flash; 256 KB SRAM

#### **PHYSICAL CHARACTERISTICS**

##### **LP 2824**

Width: 3.9"/99 mm

Depth: 7.5"/190 mm

Height: 6.8"/173 mm

Weight: 2.7 lbs./1.2 kg

(Weight of printer only; no media or options)

##### **TLP 2824**

Width: 5.12"/130 mm

Depth: 9.25"/235 mm

Height: 7"/178 mm

Weight: 3.5 lbs./1.6 kg

#### **MEDIA SPECIFICATIONS**

Label and liner width:

1"/25.4 mm to 2.36"/60 mm

Ribbon width (outside diameter):

1.33"/34 mm to 2.24"/57 mm (TLP only)

Ribbon length: 244/74 m (TLP only)



**LP/TLP 2844™**

Ideal for applications such as shipping and receiving, parcel delivery, warehouse management, retail, and healthcare, Zebra's space-saving LP/TLP 2844 printers offer efficient and reliable 4-inch-wide desktop labeling at an affordable price.

These simple-to-operate, low-maintenance printers reduce training requirements and operating costs, and provide flexible solutions through a variety of options and accessories.

### ▶ LP/TLP 2844

#### **MAXIMUM PRINT AREA**

Width: 4.09"/104 mm

Length in page mode:

11"/279 mm (with standard memory)

22"/558 mm (with optional memory)

Length in line mode: Unlimited (LP only)

#### **RESOLUTION**

203 dpi/8 dots per mm

#### **MEMORY**

Standard: 512 KB Flash; 256 KB SRAM

Optional: 1 MB Flash; 512 KB SRAM

#### **PHYSICAL CHARACTERISTICS**

##### **LP 2844**

Width: 7.6"/193 mm

Depth: 8.2"/208 mm

Height: 6.6"/168 mm

Weight: 3.2 lbs./1.5 kg

(Weight of printer only; no media or options)

##### **TLP 2844**

Width: 7.8"/198 mm

Depth: 9.4"/238 mm

Height: 6.8"/173 mm

Weight: 3.7 lbs./1.7 kg

#### **MEDIA SPECIFICATIONS**

Label and liner width:

1"/25.4 mm to 4.25"/108 mm

Ribbon width (outside diameter):

1.33"/33 mm to 4.3"/110 mm (TLP only)

Ribbon length: 244/74 m (TLP only)



**TLP 3842™**

The space-saving TLP 3842 desktop printer, for print widths up to 4 inches, adds high-resolution print capability to Zebra's popular and proven Desktop series. The TLP 3842's 300-dpi print-head enables high-quality, crisp, clear printing of two-dimensional bar codes, fine text, and complex graphics—ensuring high-density data on very small labels is easy to read and highly scannable.

### ▶ TLP 3842

#### **MAXIMUM PRINT AREA**

Width: 4.09"/104 mm

Length in page mode:

11"/279 mm (with standard memory)

22"/558 mm (with optional memory)

#### **RESOLUTION**

300 dpi/12 dots per mm

#### **MEMORY**

Standard: 1 MB Flash; 512 KB SRAM

Optional: 1.2 MB SRAM

#### **PHYSICAL CHARACTERISTICS**

Width: 7.8"/198 mm

Depth: 9.4"/238 mm

Height: 6.8"/173 mm

Weight: 3.7 lbs./1.7 kg

(Weight of printer only; no media or options)

#### **MEDIA SPECIFICATIONS**

Label and liner width:

1"/25.4 mm to 4.25"/108 mm

Ribbon width (outside diameter):

1.33"/33 mm to 4.3"/110 mm

Ribbon length: 244/74 m



# ZPL® Desktop Series

## Zebra Programming Language



**LP/TLP 2824-Z™**

The ultra-compact LP/TLP 2824-Z printers for 2-inch print widths offer powerful performance and throughput with a 32-bit processor and ZPL II (Zebra Programming Language). A perfect fit for space-constrained work areas, these printers provide high-productivity, consistently clear printing perfect for small media applications where high-quality printing is a must.

### LP/TLP 2824-Z

#### MAXIMUM PRINT AREA

Width: 2.2"/56 mm

Length: 39"/990 mm (with standard memory)

#### RESOLUTION

203 dpi/8 dots per mm

#### MEMORY

Standard: 8 MB SDRAM; 4 MB Flash

Optional: 8 MB Flash with real-time clock  
(12 MB total)

#### PHYSICAL CHARACTERISTICS

##### LP 2824-Z

Width: 3.6"/91 mm  
Depth: 7.5"/191 mm  
Height: 6.8"/173 mm  
Weight: 2.7 lbs./1.2 kg

##### TLP 2824-Z

Width: 5.5"/140 mm  
Depth: 9.5"/241 mm  
Height: 7.0"/178 mm  
Weight: 3.5 lbs./1.6 kg

(Weight of printer only; no media or options)

#### MEDIA SPECIFICATIONS

Label and liner width:

1"/25.4 mm to 2.36"/60 mm

Ribbon width (outside diameter):

1.33"/34 mm to 2.24"/57 mm (TLP only)

Ribbon length: 244/74 m (TLP only)



**LP/TLP 2844-Z™**

The LP/TLP 2844-Z printers bring powerful performance and exceptional versatility to the desktop class. Equipped with a 32-bit microprocessor for fast label processing and throughput, these 4-inch printers provide unparalleled productivity. They are based on ZPL II (Zebra Programming Language) for simplified label formatting and seamless integration where full-size Zebra printers are already installed.

### LP/TLP 2844-Z

#### MAXIMUM PRINT AREA

Width: 4.09"/104 mm

Length: 39"/990 mm (with standard memory)

#### RESOLUTION

203 dpi/8 dots per mm

#### MEMORY

Standard: 8 MB SDRAM; 4 MB Flash

Optional: 8 MB Flash with real-time clock  
(12 MB total)

#### PHYSICAL CHARACTERISTICS

##### LP 2844-Z

Width: 7.6"/193 mm  
Depth: 8.2"/208 mm  
Height: 6.6"/168 mm  
Weight: 3.2 lbs./1.5 kg

##### TLP 2844-Z

Width: 7.8"/198 mm  
Depth: 9.4"/238 mm  
Height: 6.8"/173 mm  
Weight: 3.7 lbs./ 1.7 kg

(Weight of printer only; no media or options)

#### MEDIA SPECIFICATIONS

Label and liner width:

1"/25.4 mm to 4.25"/108 mm

Ribbon width (outside diameter):

1.33"/33 mm to 4.3"/110 mm (TLP only)

Ribbon length: 244/74 m



**TLP 3844-Z™**

The TLP 3844-Z's 300-dpi printhead enables high-quality, crisp, clear printing for labeling applications that require data such as two-dimensional bar codes, fine text, or complex graphics. Scanning and reading data on very small labels, for example laboratory vial labels or jewelry tags, is greatly enhanced. Quickly and easily network the TLP 3844-Z into an Ethernet environment with the optional ZebraNet PrintServer II.

### TLP 3844-Z

#### MAXIMUM PRINT AREA

Width: 4.09"/104 mm

Length: 39"/990 mm (with standard memory)

#### RESOLUTION

300 dpi/12 dots per mm

#### MEMORY

Standard: 8 MB SDRAM; 4 MB Flash

Optional: up to 8 MB Flash with real-time clock  
(12 MB total)

#### PHYSICAL CHARACTERISTICS

Width: 7.8"/198 mm

Depth: 9.4"/238 mm

Height: 6.8"/173 mm

Weight: 3.7 lbs./ 1.7 kg

(Weight of printer only; no media or options)

#### MEDIA SPECIFICATIONS

Label and liner width:

1"/25.4 mm to 4.25"/108 mm

Ribbon width (outside diameter):

1.33"/33 mm to 4.3"/110 mm

Ribbon length: 244/74 m



## Desktop Series



### Specifications at a Glance\*

#### Communication and Interface Capabilities

Serial RS-232 (DB9)

Centronics® Parallel (36 pin)

USB v 1.1

Optional internal or external Ethernet  
(ZebraNet PrintServer II)

#### Agency Approvals

UL-CUL, FCC, VCCI, C-TICK, CB, CE, CCC,  
NOM, IRAM, BSMI, GOST (Refer to technical  
specification for each individual product for  
further details.)

#### OPTIONS AND ACCESSORIES

Cutter, Real-time clock, Asian font set,  
ZebraNet PrintServer II for Ethernet  
connectivity (internal or external), ZebraNet  
Bridge Enterprise, Zebra Designer Pro, Media  
Adapter Guide kits (for printing narrow  
media—refer to tech specs for detail),  
Dispenser, Keyboard Display Unit (KDU)<sup>1</sup>,  
Memory Expansion, Liner-free platen (LP  
models only)

<sup>1</sup>EPL products only. Check for ZPL compatibility availability.

#### ZEBRALINK™ SOLUTIONS

##### Software

ZebraDesigner Pro

ZebraNet™ Bridge Enterprise

- Full printer management for ZPL printers
- PrintServer management for EPL printers

ZebraNet Utilities 7.0

- PrintServer management for EPL and  
ZPL printers

##### Networking

ZebraNet PrintServer II

##### Firmware

ZPL® and ZPL II—Universal language for Zebra  
printers. Simplifies label formatting and  
enables format compatibility with other Zebra  
printers (ZPL models only).

Web View—Enables you to connect and  
control your bar code printer's Web interface  
using a common Web browser  
(ZPL Ethernet models only).

Alert—Printers equipped with ZebraNet print  
servers will notify you via any email-enabled,  
wired, or wireless device to minimize  
downtime (ZPL Ethernet models only).

EPL2™—Programming language (Page Mode)  
for Zebra Desktop series printers. Includes  
line mode support for LP 2824 and LP 2844.

#### Fonts/Graphics/Symbologies

##### Fonts (EPL Desktop Series)

Standard fonts: 5 bitmapped, expandable 8x

Soft font storage in Flash memory

##### Fonts (ZPL Desktop Series)

Standard fonts: 16 bitmapped, 1 smooth  
scalable (CG Triumvirate™ Bold Condensed)

Supports user-defined fonts and graphics—  
including custom logos

IBM® Page 850 International Characters

##### Graphic Features

Line and box drawing

PCX graphic storage

##### Bar Codes/Symbologies

**EPL models:** Linear bar codes: Code 39, Code  
128A, B & C (User selectable/Auto), UCC/EAN-  
128, Code 93, Codabar, Interleaved 2-of-5,  
UPC-A, UPC-E, UPC-A with 2 and 5 add on,  
UPC-E with 2 and 5 add on, EAN 13, EAN 8,  
EAN 13 with 2 and 5 add on, EAN 8 with 2  
and 5 add on, Postnet (5, 9, 11, & 13 digit)  
Japanese Postnet, Plessey (MSI-1), MSI-3,  
German Post Code, RSS-14 (limited, truncated,  
stacked) (downloadable)

2-dimensional bar codes: MaxiCode (modes  
2,3,4,6), PDF417, MacroPDF417, QR Code  
(optional—with Asian font set only), Data  
Matrix (downloadable)

**ZPL models:** Linear bar codes: Code 11, Code  
39, Code 93, Code 128, UPC-A, UPC-E, EAN-8,  
EAN-13, UPC and EAN 2-of-5 digit exten-  
sions, Plessey, POSTNET, Standard 2-of-5,  
Industrial 2-of-5, Interleaved 2-of-5, Logmars,  
MSI, Codabar, RSS-14 (limited, truncated,  
stacked)

2-dimensional bar codes: PDF417, MicroPDF-  
417, Code 49, MaxiCode, Codablock, Data  
Matrix, QR Code, RSS Composite

Zebra's Desktop series thermal printers  
offer space-saving performance that  
includes flexible connectivity and  
unmatched reliability and versatility.

### ALL MODELS

#### MAXIMUM PRINT SPEED

4"/102 mm per second

2"/51 mm per second (TLP 3842)

#### STANDARD FEATURES

Print method: Direct thermal (LP) or  
direct thermal/thermal transfer (TLP)

Construction: ABS double-walled casing

OpenACCESS™ design

Head up sensor

Serial, parallel, and USB interfaces

Windows® drivers (95, 98, NT v.4.0, 2000, XP)

Windows printer utilities

ZebraDesigner™ basic label design software

#### OPERATING CHARACTERISTICS

##### Environment

Operating Temp: 40° F/5° C to 105° F/41° C

Storage/Transport Environ. -40° F/-40° C to  
140° F/60° C

Operating Humidity 10–90% non-condensing

Storage Humidity 5–95% non-condensing

##### Electrical

Autoranging external power supply

Input: 100–240 VAC; 50–60 Hz

Output: 20 VDC; 2.5 A

\*Specifications subject to change without notice. ©2006 ZIH Corp. ZebraLink, ZebraDesigner, EPL, EPL2, ZebraNet, OpenACCESS, and all product names and numbers are Zebra trademarks, and Zebra, ZebraNet, ZPL, and ZPL II are registered trademarks of ZIH Corp. All rights reserved. Windows is a registered trademark of Microsoft Corporation. Centronics is a registered trademark of Centronics Data Computer Corporation. CG Triumvirate is a trademark of Monotype Imaging, Inc. and may be registered in certain jurisdictions. IBM is a registered trademark of International Business Machines Corporation. All other trademarks are the property of their respective owners.

**HEADQUARTERS** Zebra Technologies International, LLC **T:** +1 847 793 2600 or +1 800 423 0442 **F:** +1 847 913 8766  
**ADDRESS:** 333 Corporate Woods Parkway, Vernon Hills, IL 60061-3109 U.S.A. **WEB:** www.zebra.com

**OTHER LOCATIONS** **USA:** California, Rhode Island, Wisconsin **EUROPE:** France, Germany, Italy, Netherlands, Poland,  
Spain, Sweden, United Kingdom **ASIA-PACIFIC:** Australia, China, Japan, Singapore, South Korea  
**LATIN AMERICA:** Florida (USA), Mexico **MIDDLE EAST:** South Africa, United Arab Emirates



Zebra Technologies Corporation  
An ISO 9001 registered company  
GSA#: GS-35F-0268N  
©2006 ZIH Corp. Printed in U.S.A.  
#13087L Rev. 5 (7/06) 7.5M

MICRIMAGE OPERATIONAL OVERVIEW

SMALL STORE ENVIRONMENT



- 1
- At the POS, the cashier feeds the check into the MICRImage and then returns it to the customer
- 2
- The MICR data and check image are captured in one pass
- 3
- The MICR data is transmitted to the POS terminal for check authorization
- 4
- An RS-232 or Modem connection transports the image file with transaction data to image archive

MULTI LANE ENVIRONMENT

- 1
- At the POS, the cashier feeds the check into the MICRImage and then returns it to the customer
- 2
- The MICR data and check image are captured in one pass
- 3
- The MICR data is transmitted to the Electronic Cash Register
- 4
- An Ethernet connection transports the image file with transaction data to an FTP server

OPERATING	REFERENCE STANDARDS	ANSI X9.27	MECHANICAL
	POWER INPUT	12 V regulated, 1.5 Amp	
	CURRENT	Idle: 300 mA Operating: 1.5 A max	
	MTBF	Electronics: 125,000 hours Check read head: 1,000,000 passes MSR read head: 1,000,000 passes	
	DOCUMENT SPEED	10 ips	
	DOCUMENT SIZE	4" x 8.5" max (10,16 cm x 21,59 cm)	
	IMAGE CAPTURE	200 dpi (grayscale, black & white)	
	IMAGE STORAGE	1 MB (standard) or 8 MB	
	MICR FONTS SUPPORTED	E13-B CMC-7	
	INTERFACE OPTIONS	RS-232, RS-485, Ethernet, Internal Modem	
ENVIRONMENTAL	DIMENSIONS	Length: 9 in (22,86 cm) Width: 3.9 in (9,9 cm) Height: 6 in (15,24 cm)	
	WEIGHT	2.5 lbs (1,134 kg)	
	CONNECTOR	Power & communication: DB25 female	
	TEMPERATURE	Operating: 32°F - 122°F (0°C - 50°C) Storage: -22°F - 158°F (-30°C - 70°C)	
	HUMIDITY	Operating: 10% - 90% non condensing Storage: 0% - 100% non condensing	
	ALTITUDE	Operating: 0 - 10,000 ft (0 - 3,048 m) Storage: 0 - 50,000 ft (0 - 15,240 m)	

CHECK CONVERSION SOLUTIONS



MagTek  
20725 S Annalee Ave  
Carson CA 90746  
p 310-631-8602  
f 310-631-3956  
www.magtek.com  
888-624-8350

REGISTERED TO ISO 9001:2000



magtek.com


MICRImage

**Implement Check Conversion with confidence using MagTek's MICRImage**

- › MagTek provides the highest MICR read accuracy leading to successful electronic check transactions
- › MICRImage combines design, function and price to provide the best solution for electronic check conversion
- › MICRImage is capable of interfacing with the most popular POS terminals in the market



MICRImage with MSR



QUICKLY CAPTURE MICR DATA  
AND CHECK IMAGE IN ONE PASS

**Two interface ports per unit**

- › RS-232/RS-232
- › RS-232/Ethernet
- › RS-232/Internal Modem
- › RS-485/Ethernet

**Cover slides open for easy access**

- › No tools needed
- › Easy access to clean scan bar
- › Quickly remove debris from check path

**High quality image capture**

- › Internal memory to store grayscale or black & white images
- › Supports the standard TIFF file format used with most image archival systems
- › The high-quality image is ideal for reviewing check information when processing NSF checks and administrative returns

**Enhanced Reading (ER)**

- › Using patent-pending reading technology, ER allows for automated confirmation of MICR data
- › When ER is enabled, MICRImage further ensures data accuracy by comparing and verifying multiple MICR reads
- › ER provides the highest level of confidence in read reliability for electronic check transactions

**Optional 3-Track MSR**

- › Reads ISO standard cards and AAMVA driver's license format
- › Each track can be enabled/disabled individually through configuration parameters
- › User-friendly design with visual cues to guide user on how to swipe the card

**About MagTek\***

MagTek check reading products are at work reading millions of checks every day in applications from the largest retail chains and financial institutions to the smallest businesses.

Our longevity and dedication to the future of transaction technology ensures that your current product choices and upcoming product needs will always be met. Our engineering teams are always at work to make sure our products not only support, but also stay ahead of rapidly evolving technologies.

Our sales experts work with you to select and implement the appropriate transaction technology. Our customer service team provides the on-going support necessary for the successful installation and operation of our products.

Rely on the strength and reliability of MagTek products, skillfully built in Carson, CA.

\*Registered to ISO 9001:2000



# VAL-u Line

## Medium Duty Cash Drawers



Medium-duty POS systems are typically lower priced and utilize less robust equipment than their higher end counterparts. While MMF's VAL-u Line Cash Drawers are certainly lower priced, they are still durable enough to meet the demands of retail verticals like Specialty Stores and Cafeterias where price and durability concerns often converge. Stainless steel models are also available for use in wash-down environments. This line offers affordable versatility and provides many performance features found only in higher priced, heavy duty Cash Drawers.



800.769.1954  
[mmfcashdrawer.com](http://mmfcashdrawer.com)



# VAL-u Line Series

## Electronic and Manual Models



<b>Dimensions</b>	16.2W x 16.4D x 4.3H 41.15 x 41.66 x 10.92 cm	13W x 13D x 4.3H 33.02 x 33.02 x 10.92 cm	13W x 16D x 4.3H 33.02 x 33.02 x 10.92 cm
<b>Weight</b>	17.30 lbs 7.85kg	13.25 lbs 6.01 kg	13.55 lbs 6.15 kg
<b>Construction</b>	All Steel or Stainless Steel	All Steel or Stainless Steel	Steel
<b>Rails</b>	Roller Bearing	Roller Bearing	Roller Bearing
<b>Life Cycle</b>	1.5 Million	1.5 Million	1.5 Million
<b>Warranty</b>	2 Years	2 Years	2 Years
<b>Finish</b>	Powder Coat or Stainless Steel	Powder Coat or Stainless Steel	Powder Coat
<b>Drawer Front</b>	Powder Coat or Stainless Steel	Powder Coat or Stainless Steel	Powder Coat
<b>Cash Tray</b>	<ul style="list-style-type: none"> <li>• High impact plastic cash tray and bill weights.</li> <li>• 5 bill and 8 adjustable coin (removable) sections</li> </ul>	<ul style="list-style-type: none"> <li>• High impact plastic cash tray and bill weights.</li> <li>• 4 bill and 5 adjustable coin (removable) sections</li> </ul>	<ul style="list-style-type: none"> <li>• High impact plastic cash tray and bill weights.</li> <li>• 4 bill and 5 adjustable coin (removable) sections</li> </ul>
<b>Lock</b>	Electronic 3 Position	<ul style="list-style-type: none"> <li>• Electronic 3 Position</li> <li>• Manual Pushbutton</li> </ul>	<ul style="list-style-type: none"> <li>• Electronic 3 Position</li> <li>• Manual Pushbutton</li> </ul>
<b>Color Options</b>	<ul style="list-style-type: none"> <li>• Black</li> <li>• Cool White</li> <li>• Stainless Steel</li> </ul>	<ul style="list-style-type: none"> <li>• Black</li> <li>• Cool White</li> <li>• Stainless Steel</li> </ul>	<ul style="list-style-type: none"> <li>• Black</li> <li>• Cool White</li> </ul>
<b>Interface Options</b>	<ul style="list-style-type: none"> <li>• Universal Printer*</li> <li>• Manual</li> </ul>	<ul style="list-style-type: none"> <li>• Universal Printer*</li> <li>• Manual</li> </ul>	<ul style="list-style-type: none"> <li>• Universal Printer*</li> <li>• Manual</li> </ul>
<b>Solenoid</b>	24V	24V	24V
<b>Media Slots</b>	2	1	1
<b>Options</b>	<ul style="list-style-type: none"> <li>• Under counter mounting brackets</li> <li>• Euro Tray. 8 bill / 8 coin</li> <li>• Canadian Tray</li> </ul>		

\* Requires Kwik Cable

## Flip Top Model

<b>Dimensions</b>	18W x 6.7D x 4H (45.72 x 17.02 x 10.16 cm)
<b>Weight</b>	10.7 lbs (4.85 kg)
<b>Color</b>	Black Body Stainless Steel Lid
<b>Construction</b>	All Steel
<b>Lock</b>	Center Front
<b>Detection</b>	Open/close detect
<b>Warranty</b>	2 years
<b>Solenoid</b>	3 way; 12/24/36V
<b>Tray</b>	<ul style="list-style-type: none"> <li>• 7 bill/8 coin; adjustable sections</li> <li>• Locking tray cover with 50 outer and 100 inner lock combo possibilities</li> <li>• Optional Euro-Tray</li> </ul>
<b>Interface</b>	Interfaces with most popular receipt printers and IBM 46XX
<b>Media Slots</b>	1



800.769.1954  
mmfcashdrawer.com



# Phaser™ P360 and P460

## Rugged Bar Code Scanner with Batch Data Collection



### FEATURES

#### **Corded or batch operation**

Enables both inventory (batch) and POS (real-time cabled) data collection

#### **Preloaded inventory application software**

Scans and stores bar code data right out of the box — enter quantities, review and delete records

#### **Supports 123Scan utility software and advanced data formatting (ADF)**

Delivers seamless integration of scanned data into the existing host application

#### **17-key alphanumeric keypad and 2-line x 20-character display**

Allows users to easily view, enter and delete scanned records for maximum productivity

#### **Forward-scanning pistol grip**

Reduces user fatigue with comfortable grip for scan-intensive environments

### **Flexibility that works inside and outside the enterprise**

The Phaser P360 and P460 memory bar code scanners from Motorola are rugged, high-performance devices that deliver the flexibility you need to realize reduced costs and improved efficiencies in your business operations — at the point-of-sale, on the factory floor or in the warehouse.

Designed with a comfortable forward-scanning pistol grip to minimize fatigue in scan-intensive applications, these batch and cable-mode handheld scanners allow users to collect data while freely roaming the premises.

### **Easy system integration and programmable architecture**

The P360 and P460 offer easy system integration along with a programmable architecture that extends functionality beyond basic bar code scanners. Both the P360 and P460 support the 123Scan setup utility software, a convenient Microsoft® Windows®-based program that helps reduce your start-up time and costs for these scanners. This free utility enables you to configure communication settings and enable/disable symbologies. It also assists you in generating advanced data formatting (ADF) rules to allow bar code data to be modified by the scanner before it is sent to the host application. The P360 and P460

scanners can be programmed via PC download or by scanning bar codes generated by the utility.

For added versatility, you can also purchase MCL™ Designer software, a programmable architecture that extends P360 and P460 scanner functionality. Even non-programmers can develop custom data management applications to harness the on board computing power of these scanners. Further, MCLLink communication software easily connects the P360 and P460 to your host. Capabilities include ODBC database connectivity plus the automation of frequent tasks such as nightly data downloads and look-up file updates.

### **Proven performance and affordability**

With the Phaser P360 and P460 memory bar code scanners, you can choose the device that best meets your application needs in any environment. The P360 is suited for extreme environments, making it ideal for warehouse, yard or loading dock applications. And the P460 delivers the identical data capture functionality for in-store uses like gift registry, POS scanning, inventory counts and price verification. Both scanners deliver the proven performance and affordability that customers have grown to expect from Motorola.

For more information, contact us at +1.800.722.6234 or +1.631.738.2400, or visit us at [www.symbol.com/phaser](http://www.symbol.com/phaser).

## SPECIFICATION SHEET

PHASER P360 AND P460

# Phaser P360 and P460 Specifications

### Non-volatile memory

Saves data if the unit loses power

### Flash memory

Conduct easy software upgrades in the field

### 4MB or 8MB memory

Provides ample memory capacity for inventory counts and look-up tables

### Sealed to IP54 standards (P360 only)

Suitable for extreme environments

### Optional MCL-Designer

Develop custom data management applications with this software

Physical Characteristics	
Dimensions:	70 in. H x 9.2 in. W x 3.5 in. D 17.8 cm H x 23.1 cm W x 9.0 cm D
Weight:	12 oz./336 gm
Color:	P360: Yellow body with dark gray keypad P460: Cash register white body with light gray keypad
Keypad:	17-key keypad; single stroke numeric and shifted alpha; user-programmable function keys
Display:	2-line x 20-character; view long lists/menus using scroll keys with MCL application
Power:	External power to scanner via cable or cradle; batch power from 1100 mAh lithium-ion battery. Battery automatically recharges from external power via cable or cradle
Battery Charge Time:	Fully charged (100%) in approximately 3.5 hours

Performance Characteristics	
Light Source:	650 nm visible laser diode
Scan Rate:	35 ±5 scans per second (bi-directional)
Nominal Working Distance:	See Decode Zone
Print Contrast Minimum:	20% minimum reflectance
Scan Angle:	42° ±2°
Decode Capability:	UPC/EAN, Bookland EAN, Code 39, Code 39 Full ASCII, Trioptic Code 39, Code 93, Codabar, Interleaved 2 of 5, Code 128, EAN 128, Discrete 2 of 5, MSI Plessey and Coupon Code
Memory Options:	4 MB: Stores approximately 53,000 UPC* bar codes 8 MB: Stores approximately 115,000 UPC* bar codes Look-up files can hold a larger quantity of records. Maximum number of records per file is a function of bytes per record *Each UPC bar code is 65 bytes including descriptor data
Interfaces supported:	RS-232, MCL-Link Lite or Symbol Synapse cables (Keyboard Wedge, USB, OCIA, Dual RS-232, etc.)

User Environment	
Operating temperature:	P360: -4° to 122° F/-20° to 50° C P460: 32° to 104° F/0° to 40° C
Storage temperature:	-40° to 158° F/-40° to 70° C
Humidity:	5% to 95% noncondensing, noncondensing
Sealing:	Sealed to IP65 specifications
Drop specifications:	P360: Multiple 6 ft./1.8 m drops to concrete over entire temperature range P460: Multiple 5 ft./1.5 m drops to concrete over entire temperature range
Environmental Sealing:	P360: All components sealed to IP54 against wind blown rain and dust
Ambient light immunity:	Sunlight: 10,000 ft.-candles/107,644 lux Artificial light: 450 ft.-candles/4,844 lux

Applications	
Default Applications (preloaded):	Corded: Transmit scanned or keyed in alphanumeric data; key in quantity to eliminate repetitive bar code scanning
Uncorded (Batch):	Store scanned or keyed in data. Review and delete records and key in quantities
MCL-Designer (optional):	Windows-based application development software for creation of customized P370/P470/P360/P460 scanner applications
MCL-Link (optional):	Communications software used with MCL-Designer-generated applications. Enables seamless connection to host application for task automation, ODBC connectivity, built-in CRC error detection and more

Cradle	
Versions:	Single-slot wall or desk-mount cradle optional for host communications and battery charging
Color:	PL360 Dark Gray; PL460 Light Gray
Dimensions:	3.5 in. H x 9.5 in. L x 4 in. W 8.9 cm H x 24.1 cm L x 10.2 cm W
Power:	Operates from a separate 9V power supply 1.2A
Cables:	RS-232 or Symbol Synapse cables


Accessories	
Hands-Free Stand:	Motorola IntelliStand for hands-free presentation scanning. Scanner automatically goes into presentation mode when placed into stand

Regulatory	
Electrical Safety:	Certification to UL1950, CSA C22.2 No. 950, EN60950/IEC950
EMI/RFI:	FCC Part 15 Class B, ICES-003 Class B, European Union EMC Directive, Australian SMA
Laser Safety:	CDRH Class II, IEC Class 2



P360 and P460 Decode Zone

Width of Field in Inches (cm)



Typical Depth of Field in Inches/Centimeters









**MOTOROLA**

motorola.com

Part number SS-P360460. Printed in USA 07/07. MOTOROLA and the Stylized M Logo and SYMBOL and the Stylized SYMBOL Logo are registered in the US Patent & Trademark Office. All other product or service names are the property of their respective owners. ©2007 Motorola, Inc. All rights reserved. For system, product or services availability and specific information within your country, please contact your local Motorola office or Business Partner. Specifications are subject to change without notice.


# TAMMSOnline Supplies

## Available through Southside POS





# **POS Screens**



F12:Log off

Reg 99 Closed

Inventory Screen

SKU 00786936746754  
 Barcode 0000000000129028  
 Artist NO COUNTRY FOR OLD MEN  
 Title JONES,TOMMY LEE  
 Categ DVD Sub Cat DVC

	Used	New
Buyback:	5.00	18.71
Price:	16.99	19.99
Trade:	17.00	20.00
Internet:	0.00	0.00

New Cost: 18.71  
 Price: 19.99  
 Trade: 20.00  
 Internet: 0.00

Onhand	Quantity	Avg.Cost	Cost/Gds
Used:	4	4.67	18.67
New:	2	18.71	37.42
Rental			
Used:	0		0.00
New:	0		0.00

Rental Days 5 Rental Price 3.99  
 Inv Itm: Yes Level 1  
 Taxable: Yes Bin-able No SN No

Tracking of COG and Qty in single SKU

Information (Alt-1) | Amazon/Sales Hist Information (Alt-2)

Min Inv: 1 # in set: 1 Vendor # Oldest: 07/2008 69  
 Last Selling Price 16.99 Last Sold: 08/17/2008 Last Bought: 08/24/2008

Rating: R Kit Both new and used prices are kept in single sku Qty:  
 Genre: SUS  
 Format: Release Date: 03/11/2008  
 Location: CAT Special Cmt:

Quick view of last time item was sold or purchased



F12:Log off

Amazon Inventory Access

Reg 99 Closed

SKU 00786  
Barcode 00000  
Artist NO CO  
Title JONES  
Categ DVD

Buyback:  
Price:  
Trade:  
Internet:

Min Inv:  
Last Selling

Rating: R  
Genre: SU  
Format:  
Location: CA

# Pricing Information

Title NO COUNTRY FOR OLD MEN  
Actor JAVIER BARDEM  
ASIN B00118T63C  
# Discs 1

Sales Rank 145

Released by Miramax on 03/11/2008

Priced on: 09/29/2008  
Average Used: 6.87  
Average New: 11.99  
List Price: 29.99

By pressing Shift F3 in the inventory screen you can get up to date information from amazon on the item.

Resume...

Cost/Gds  
7 18.67  
1 37.42  
0.00  
0.00

ce 3.99  
1  
o SN No

(Alt-2)  
7/2008 69  
8/24/2008

F12:Log off

All Location Inventory

Reg 99 Closed

SKU 00786936746754  
 Barcode 0000000000129028  
 Artist NO COUNTRY FOR OLD MEN  
 Title JONES,TOMMY LEE  
 Categ DVD Sub Cat DVC

Onhand Quantity Avg.Cost Cost/Gds  
 Used: 1 4.67 12.67  
 New: 2  
 Rental  
 Used: 0  
 New: 0

See your inventory at all locations

Used	New	Store Name	Address	City	Used	New
		JOPLIN	3120 S. MAIN ST	JOPLIN	4	2
		KC METCALF	9200 METCALF AV	OVERLAND PARK	3	0
		TULSA 1	6808 S. MEMORIA	TULSA	1	0
		SPRINGDALE			1	0
		BROKEN ARROW	2409 W. KENOSHA	BROKEN ARROW	2	0
		VINTAGE STOCK -	4505 W. WALNUT	ROGERS	4	0
		SPRINGFIELD SOU	2856 S.GLENSTON	SPRINGFIELD	5	0
		TULSA 2	5353 E. 41ST	TULSA	3	0
		KANSAS CITY 135	8416 W. 135TH S	OVERLAND PARK	3	0
		SPRINGFIELD NOR	2631 N KANSAS E	SPRINGFIELD	1	0

Esc  
Exit

F12:Log off

Customer Information

Reg 01 Open

Customer	S20215603	St	MO	Phone	(000) 000-0000	Disabled	N
First	RONALD	Last Name	JACOBSON				
Addr	1714 MARIGOLD						
City	JOPLIN			Apt			
Type	Customer	Employee #					
Comments							

Credit Card    Modify    Type:    Card #:    Expires

track information  
about customers

Customers can be shared  
across all stores. If you  
disable a customer from  
selling to you it is done for  
all stores.

Add unlimited comments  
about a customer



F12:Log off

Customer History

Reg 01 Open

Customer S20215603 St MO Phone (000) 000-0000 Disabled N  
 First RONALD Last Name JACOBSON  
 Addr 1714 MARIGOLD Apt

Title	Type	Cond	Date	Due	Retrn	Inv #	Amount	Emp#
13TH WARRIOR	B	U	09/30/2008			1207201	-1.00	LNEW
ACCUSED	B	U	09/30/2008			1207201	-0.50	LNEW
BLADE RUNNER	B	U	09/30/2008			1207201	-0.50	LNEW
ERAGON:SPECIAL EDITI	B	U	09/30/2008			1207201	-2.00	LNEW
ESCAPE FROM ALCATRAZ	B	U	09/30/2008			1207201	-0.50	LNEW
GOIN' SOUTH	B	U	09/30/2008			1207201	-0.50	LNEW
HIGHLANDER-DIRECTOR'	B	U	09/30/2008			1207201	-1.00	LNEW
I AM LEGEND (WS)	B	U	09/30/2008			1207201	-2.00	LNEW
INSTINCT	B	U	09/30/2008			1207201	-2.00	LNEW
IT'S A WONDERFUL LIF	B	U	09/30/2008			1207201	-3.00	LNEW
LAST MIMZY (FS)	B	U	09/30/2008			1207201	-1.00	LNEW
LETHAL WEAPON 4	B	U	09/30/2008			1207201	-1.00	LNEW
LONELY GUY, THE	B	U	09/30/2008			1207201	-0.50	LNEW

View detail information  
on what this customer  
has ever sold or  
purchased from you

ESC  
Exit

F12:Log off

POS Sale/Buy Screen

Reg 01 Open

Customer CASH  
 Name CASH CUSTOMER  
 Addr 1223 AAA  
 City AAAA, TX 12345

If doing a buy system can be  
 setup to require customer  
 information

Phone (111) 111-1111  
 Last 08/15/2008  
 #/\$ 320-26861.58  
 Avg \$ -83.94

SQTD: 3  
 BQTD: 3,525  
 BQTM:

SKU Number	Artist/Title	Album/Actor	SBRTI	Cond	Tax	Price
------------	--------------	-------------	-------	------	-----	-------

00043396082922	XXX (2002)		Buy	Used	N	-1.00
----------------	------------	--	-----	------	---	-------

History of customer  
 transactions with your  
 company

Late: 1 / \$116.00

Customer Comment

Subtot \$	-1.00
Tax \$	0.00
=====	
Total	-1.00
In/Out	1 / 0

ESC	F2	F3	F4	F5	F6	F7	F8	F9	F10
Exit	Qty	Invent	TaxEmp	Clear	QckEdit	Edit	Customr	Finish	ClaimCk
09/30	7.95	GATO	S#T-ODI-2801						SALE NEW



**Get detail history information when buying a item along with the qty's already in stock**

Let Amazon help you with your  
buy pricing

NO COUNTRY FOR OLD MEN  
JAVIER BARDEM

SUB CAT:

USED: 0

NEW: 0

LEASE:	0
--------	---

LEASE :	0
TOTAL :	0

LEVEL : 88

LEVEL: 00  
RUV:

BUY.

LAST BOUGHT:	/	/	
LAST SOLD:	/	/	@
OLDEST:			

USED SRP: 8.99

NEW SRP: 12.99

**AVG COST:**

**AVG COST:**

BUYBACK: 1.00

JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | **SEP** | OCT | NOV | DEC

LAST 12

[illegible][illegible][illegible]

Item is not on request list

Buy

N. No Buy

Y.	BUY	1.00
----	-----	------

A. Average	6.53
------------	------

Buy Sell

Day  
6 5

B.	6.55	6.87
C.	7.02	7.39

C.	7.02	7.59
D.	7.43	7.82

D.	7.43	7.82
E.	7.84	8.25

E.	7.84	8.25
F.	8.31	8.75

F.	8.51	8.75
C	8.35	8.70

G.	8.35	8.79
H.	8.43	8.87

H.	8.43	8.87
F.	8.42	8.84

1. 8.49 8.94

Avg: 6.87(1)

S-F3

Amazon

09/30	7.95	GATO	S#T-ODI-2801
-------	------	------	--------------

SALE NEW

F12: Log off

Invoice Display

Reg 01 Open

Get detail information on who this was sold to and who sold it.

1209901 - VIN00010001293701

Date: 09/30/2008	Subtotal: 21.98	Cash Tender: 0.00
Time: 14:54:23	Tax: 1.72	Check Tender: 0.00
Customer:	Total: 23.70	VIS Tender: 23.70
Employee: Jamie Butler	Tender: 23.70	Gift/CD Tender: 0.00
Type: POS	Change: 0.00	
Comment:		Amazon Tender: 0.00

SKU	Artist/Title	Album/Actor	S	C	Cost	Price	Neg
05099920907020	BENTLEY, DIERKS	GREATEST HITS/E	S	U	3.00	8.99	
00827969353523	PEARL JAM	REARVIEWMIRROR:	S	U	3.00	12.99	

View cost and price information and condition of product (New or Used) from the Invoice Display

F12:Log off

Gift Cards

Reg 99 Closed

- 1. Sales
- 2. Inventory
- 3. Maintenan
- 4. View invoi
- 5. Log off

- 1. View Invoices
- 2. Customer Accounts
- 3. Reports
- 4. Current Sales
- 5. Register Setup
- G. Gift Card Balance
- X. View Cards
- Z. View Cards Batch

You can access gift card balances and print balance receipts from the POS menu

F12:Log off

Ratings

Reg 99 Closed

Category	Code	Rating	Age
DVD	R	RESTRICTED	17

Some states have no sale to minors based on the items ratings.

ESC  
Exit

F4  
Add

F5  
Delete

F7  
Edit

09/30 | 7.98 | GATO | S#T-VIN-0001 |

RATINGS



F12:Log off

LeadsOnline

Reg 99 Closed

- 1. Sales
- 2. Invent
- 3. Mainte
- 4. View i
- 5. Log of

Edit Leadsonline Info

Leads Id  
 FTP User ID  
 Manager  
 ManagerEmail  
 County  
 Country

MANAGER

Allow entry of  
 DL Expire Date    N  
 Date of Birth      N  
 Weight              N  
 Height              N  
 Hair Color         N  
 Eye Color          N  
 Race                N  
 Sex                  N

Each store can setup their own Leadsonline account. When the store closes all buy information is shipped to Leadsonline. No more adding buy data to their website.

F12:Log off

Timeclock

Reg 99 Closed

ID	Date In	Time	Date Out	Time Elasp	Name
AROS	09/30/2008	09:55	/ /		Austin Rosenthal
DNET	09/30/2008	09:17	/ /		Dave Nethery
DOND	09/29/2008	07:41	/ /		Dan Durburow
JADA	09/29/2008	16:39	/ /		Jennifer Adams
JBUT	09/30/2008	12:58	/ /		John Butler

Using the timeclock module you can track hours for each employee

User: AROS Austin Rosenthal

Time:

Clock In: 09/30/2008 09:55:35

ESC  
EXIT

Enter  
Edit

F6  
Print

F12:Log off

Amazon Setup

Reg 99 Closed

View Store Setup Screen 3

Bins Enabled	N	Time Clock Settings	
Buy Receipts		Enable Time Clock	Y
Customer Credit Cards	N	Enable Time Scheduling	N
Store Serial #	T-VIN-0001	Transaction Logins	N

Days for price lock	1	Last reprice	/ /
Days between repricing	1	Condition:	good <input type="checkbox"/>
# of prices to use in costing	1		
Price below store cost?	N		
# of days to age b/4 listing	0		
Developers token	D1LRHN9F86GJGC		

Merchant id  
 Merchant password

Each Store has its own Amazon Account if you are selling to Amazon

Amazon Region (us,uk) US

ESC  
 Exit

F3  
 Edit

Completed ReportsDelete

	Job	Date Submitted	Date Completed	Date will be removed	Report Name
<input type="checkbox"/>	127	2008.09.30 2:11 PM	2008.09.30 2:14 PM	2008.10.07	Product Extract
<input type="checkbox"/>	126	2008.09.30 12:46 PM	2008.09.30 2:08 PM	2008.10.07	Product Extract
<input type="checkbox"/>	124	2008.09.30 10:15 AM	2008.09.30 10:32 AM	2008.10.07	Product Extract

List FiltersResetRefresh List

Date SubmittedJob #Report Name

Print Jobs Processing

Job Number	Report	datein	startdate	status	Server	Progress
------------	--------	--------	-----------	--------	--------	----------

No Reports waiting to be processed



# **Report Samples**

## Buy Check Log

Store : 48640

Dates: 04/01/2008 - 04/30/2008

				DL Number						
Invoice #	Date	Customer Name	DL State		Phone Number	Check Amount	ABA Routing #	Account #	Check Number	
1360950	4/1/2008		TX			64.9			006867	
1360960	4/1/2008		TX			77			006868	
1361111	4/1/2008		TX			83			006869	
1361472	4/2/2008		TX			91			006870	
1361484	4/2/2008		TX			73.5			006871	
1361743	4/3/2008		TX			57.75			006872	
1362064	4/4/2008		TX			57.25			006873	
1362472	4/5/2008		TX			105.25			006876	
1362759	4/5/2008		TX			57			006877	
1362925	4/5/2008		TX			127.5			006878	
1363576	4/7/2008		OK			54			006879	
1363777	4/7/2008		TX			122			006880	
1364104	4/8/2008		TX			393			006881	
1364538	4/9/2008		TX			67			006882	
1365681	4/12/2008		TX			68			006883	
1365822	4/12/2008		TX			58			006884	
1365953	4/12/2008		TX			61.5			006886	
1365964	4/12/2008		TX			94.5			006887	
1366147	4/12/2008		TX			250.8			006888	
1366190	4/12/2008		TX			211.5			006889	
1366347	4/13/2008		TX			64			006890	
1366422	4/13/2008		TX			92.5			006891	
1366468	4/13/2008		TX			52.65			006892	
1366935	4/14/2008		TX			73.15			006893	
1367083	4/14/2008		TX			144			006894	
1367255	4/15/2008		TX			64			006895	
1367376	4/15/2008		TX			172			006896	
1367403	4/15/2008		CA			106.25			006897	
1367639	4/16/2008		TX			88.5			006898	
1367681	4/16/2008		TX			92			006899	
1367800	4/16/2008		CA			110			006900	

			Buy Detail by Date							
			04/01/2008 thru 04/30/2008 Store - 48684							
	Date	Cash Payouts	Check Payouts	CTC Payouts	Total Payouts	Cash %	Check %	CTC %	# CTC transactions	
	4/1/2008	390.01	84.75	264.47	739.23	52.76	11.46	35.78	9	
	4/2/2008	346.57	264	110.23	720.8	48.08	36.63	15.29	5	
	4/2/2008	0	0	0	0	65535	65535	65535	5	
	4/3/2008	331.82	75	90.73	497.55	66.69	15.07	18.24	5	
	4/4/2008	288.28	89	452.23	829.51	34.75	10.73	54.52	18	
	4/5/2008	240.77	340.25	452.63	1033.65	23.29	32.92	43.79	18	
	4/6/2008	311.59	89	379.47	780.06	39.94	11.41	48.65	10	
	4/7/2008	419.72	0	142.83	562.55	74.61	0	25.39	5	
	4/8/2008	337	63.25	55.91	456.16	73.88	13.87	12.26	5	
	4/9/2008	332.4	156	189.46	677.86	49.04	23.01	27.95	7	
	4/10/2008	355.91	159	324.66	839.57	42.39	18.94	38.67	10	
	4/11/2008	267.04	79.25	557.29	903.58	29.55	8.77	61.68	17	
	4/12/2008	380.48	0	280.56	661.04	57.56	0	42.44	17	
	4/13/2008	582.25	95	704.76	1382.01	42.13	6.87	51	21	
	4/14/2008	220.59	64.5	246.6	531.69	41.49	12.13	46.38	9	
	4/15/2008	238.39	162.1	180.43	580.92	41.04	27.9	31.06	9	
	4/16/2008	271.75	93.25	167.04	532.04	51.08	17.53	31.4	8	
	4/17/2008	316.51	67.25	155.3	539.06	58.72	12.48	28.81	5	
	4/18/2008	473.07	216.5	403.42	1092.99	43.28	19.81	36.91	14	
	4/19/2008	315.67	137	851.34	1304.01	24.21	10.51	65.29	20	
	4/20/2008	249.25	0	452.65	701.9	35.51	0	64.49	15	
	4/21/2008	355.47	0	235.29	590.76	60.17	0	39.83	8	
	4/22/2008	261.93	55	126.37	443.3	59.09	12.41	28.51	9	
	4/23/2008	259.05	119.75	243.78	622.58	41.61	19.23	39.16	7	
	4/24/2008	558.45	0	460.67	1019.12	54.8	0	45.2	15	
	4/25/2008	448.09	0	86.52	534.61	83.82	0	16.18	7	
	4/26/2008	279.38	75.25	354.82	709.45	39.38	10.61	50.01	13	
	4/27/2008	324.72	0	575.79	900.51	36.06	0	63.94	19	
	4/28/2008	248.19	212.75	698.31	1159.25	21.41	18.35	60.24	12	
	4/29/2008	225.51	306.75	231.77	764.03	29.52	40.15	30.34	10	
	4/30/2008	198.75	119.5	323.29	641.54	30.98	18.63	50.39	10	



[illegible]

			Daysheet																	
			Store :																	
			Dates: 04/01/2008 - 04/30/2008																	
			Sales Tax										Cash Rec							
Date	Sales	Refunds	Collected	Coupons	Bank Depo	Misc. Paye	Cash	Checks	Credit Car	GC	GC	CTC	Total	Cash	Check	Trade	CTC	Total	Cash Long/Short	
4/1/2008	6601.94	359.36	505.53	-11.63	1950.93	87.68	4206.09	23.77	3580.55	1.29	0	493.26	8304.96	760.74	224.9	0	483.87	1469.51	-137.97	
4/2/2008	6190.86	413.36	476.63	-58.21	1945.89	21.64	4199.96	20.55	2868.4	27.04	0	810.84	7926.79	815.66	164.5	0	402.19	1382.35	-293.55	
4/3/2008	6543.86	336.84	512.04	-39.16	2205.64	0	4475.7	45.18	3852.3	4.89	0	305.19	8683.26	496.02	57.75	0	554.31	1108.08	-184.14	
4/4/2008	10636.19	502.08	831.54	-42.3	3533.88	104.48	5850.46	0	6175.32	51.5	0	600.3	12677.58	671.04	57.25	0	424.34	1152.63	-213.17	
4/5/2008	12244.02	1001.62	920.57	-44.27	4584.01	0	6801.2	103.82	6416.06	59.39	0	615.02	13995.49	817.13	289.75	0	462.04	1568.92	-372.91	
4/6/2008	9875.21	215.82	796.88	-37.47	3894.16	0	6232.18	22.7	5008.8	2.45	0	1126.52	12392.65	519.43	0	0	743.42	1262.85	-132.56	
4/7/2008	5788.71	450.73	433.35	0.45	1412.84	0	3670.08	8.65	3294.97	2.38	0	216.21	7192.29	1105.27	176	0	441.57	1722.84	-259.89	
4/8/2008	6372.36	495.68	484.82	43.09	2063.86	0	4309.21	52.97	3584.07	25.18	0	324.26	8295.69	585.52	393	0	148.2	1126.72	-178.3	
4/9/2008	5493.57	379.39	421.8	-2.5	1607.52	19.45	3787.51	123.97	2771.36	58.65	0	359.85	7101.34	846.11	67	0	441.84	1354.95	-129.46	
4/10/2008	7278.14	307.74	570.84	-0.79	2057.34	0	4354.64	0	4481.68	10.81	0	334.98	9182.11	792.18	0	0	567.9	1360.08	-136.54	
4/11/2008	10333.92	522.7	807.96	-23.28	3764.73	43.26	5965.71	71.38	5799.66	0	0	396.67	12233.42	875.38	0	0	393.6	1268.98	-283.8	
4/12/2008	12060.76	363.74	960.46	-66.39	4021.58	51.31	6245.11	81.16	6792.38	80	0	1082.88	14281.53	800.89	744.3	0	1233.56	2778.75	-237.95	
4/13/2008	9173.93	595.66	707.56	14.43	3470.71	0	5706.57	61.64	4935.92	25	0	395.56	11124.69	625.71	209.15	0	511.33	1346.19	-152.64	
4/14/2008	6055.9	609.69	447.19	21.34	1585.04	0	3863.96	22.6	3110.43	0	0	417.23	7414.22	1127.67	217.15	0	371.18	1716	-325.63	
4/15/2008	7128.32	703.55	522.11	35.29	2215.34	0	4487.5	19.46	3352.62	169.8	0	697.14	8726.52	740.6	342.25	0	673.29	1756.14	-193.33	
4/16/2008	6388.75	144.89	510.96	-21.67	1992.93	151.47	4314.77	0	3821.49	1.06	0	249.57	8386.89	565.51	459.9	0	228.11	1253.52	-48.88	
4/17/2008	5513.65	504.46	412.93	22.26	1911.85	0	4139.68	53.54	2906.16	0	0	347.6	7446.98	558.39	444.85	0	284.39	1287.63	-279.62	
4/18/2008	9156.07	276.82	732.58	-22.51	3234.53	0	5532.73	0	5611.96	25	0	327.93	11497.62	554.86	373.5	0	304.69	1233.05	-164.96	
4/19/2008	11150.31	369.52	889.32	-154.7	3972.58	0	6287.41	90.86	6363.16	94.85	0	638.24	13474.52	661.36	369.4	0	437.11	1467.87	-214.78	
4/20/2008	8935.66	232.79	717.33	-45.48	3524.46	0	5752.72	50.87	5174.71	51.24	0	341.48	11371.02	465.45	61.25	0	350.17	876.87	-182.62	
4/21/2008	6794.17	442.71	521.91	-34.34	1757.61	103	4044.55	12.48	4068.03	0	0	411.76	8536.82	720.77	179.2	0	505.28	1405.25	-222.14	
4/22/2008	5942.59	467.81	451.6	9.18	1831.1	112.56	4068.4	68.45	3010.73	36.48	0	507.42	7691.48	653.96	440.5	0	491.22	1585.68	-216.69	
4/23/2008	5847.14	180.87	465.28	-53.61	2419.01	26.81	4679.38	18.39	2808.89	17.38	0	272.25	7796.29	648.5	164.25	0	319.69	1132.44	-114.9	
4/24/2008	6255.89	217.84	496.01	13.05	2028.44	0	4287.51	38.94	3599.05	8.93	0	439.53	8373.96	557.5	447.9	0	360.87	1366.27	-86.34	
4/25/2008	9762.03	453.77	767.88	-12.6	3853.22	0	6136.32	17.29	4373.84	4.32	0	1345.7	11877.47	699.34	997	0	740.61	2436.95	-212.88	
4/26/2008	11833.02	435.07	938.26	-82.05	3730.29	0	5848.43	180.87	7011.63	0	0	1030.96	14071.89	732.47	398.75	0	967.98	2099.2	-251.19	
4/27/2008	9506.3	512.68	742.02	-63.26	3928.25	0	6063.18	128.19	4838.71	0	0	484.41	11514.49	759.2	77.5	0	424.92	1261.62	-338.19	
4/28/2008	4974.76	240.49	388.69	-28.39	1523.37	0	3805.99	54.08	2775.85	25	0	257.49	6918.41	516.69	536.45	0	387.58	1440.72	-3.83	
4/29/2008	5861.11	460.27	437.37	-1.69	787.48	302.93	3064.59	21.64	3090.32	0	0	1145.2	7321.75	624.37	94.25	0	387.59	1106.21	-113.78	

# Inventory Movement by Category

04/01/2008 Thru 04/30/2008

	Sales/Trades		Refunds		Buys		Batches/Trans		Adds/Dels		Rentals/Returns	
	Qty	Cost	Qty	Cost	Qty	Cost	Qty	Cost	Qty	Cost	Qty	Cost
ACC												
New	( 93)	( 1,157.98)	3	18.70	0	0.00	155	2,396.00	16	257.26	0	0.00
							( 2)	( 8.21)	( 17)	( 243.36)	0	0.00
Used	( 91)	( 529.79)	18	58.50	107	504.27	63	358.20	45	324.29	0	0.00
							( 7)	( 20.42)	( 58)	( 442.00)	0	0.00
<b>ACC</b>	<b>( 184)</b>	<b>( 1,687.77)</b>	<b>21</b>	<b>77.20</b>	<b>107</b>	<b>504.27</b>	<b>218</b>	<b>2,754.20</b>	<b>61</b>	<b>581.55</b>	<b>0</b>	<b>0.00</b>
							( 9)	( 28.63)	( 75)	( 685.36)	0	0.00
CD												
New	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
							0	0.00	0	0.00	0	0.00
Used	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
							( 1)	( 2.34)	0	0.00	0	0.00
<b>CD</b>	<b>0</b>	<b>0.00</b>	<b>0</b>	<b>0.00</b>	<b>0</b>	<b>0.00</b>	<b>0</b>	<b>0.00</b>	<b>0</b>	<b>0.00</b>	<b>0</b>	<b>0.00</b>
							( 1)	( 2.34)	0	0.00	0	0.00
CON												
New	( 1,902)	( 1,684.12)	1	0.82	0	0.00	2,575	2,306.24	55	51.39	0	0.00
							0	0.00	( 378)	( 307.79)	0	0.00
Used	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
							0	0.00	0	0.00	0	0.00
<b>CON</b>	<b>( 1,902)</b>	<b>( 1,684.12)</b>	<b>1</b>	<b>0.82</b>	<b>0</b>	<b>0.00</b>	<b>2,575</b>	<b>2,306.24</b>	<b>55</b>	<b>51.39</b>	<b>0</b>	<b>0.00</b>
							0	0.00	( 378)	( 307.79)	0	0.00



			Inventory Summary by Store				
			5/1/2008				
	STORE	Used Inventory Value	New Inventory Value	Used On-Lease Value	New On-Lease Value	Total Value	
		239175.1	201780.68	1642.63	1765.26	444363.67	
		79614.2	81780.48	427.49	660	162482.17	
		108144.95	118448.85	738.01	732.53	228064.34	
		133156.9	120373.78	1498.65	1563.17	256592.5	
		114047.34	97244.88	1896.16	2396.2	215584.58	
		109407.95	107346.94	2254.92	2251.28	221261.09	
		90569.79	120454.12	1770.24	2990.07	215784.22	
		140267.22	112664.99	1660.82	2386.55	256979.58	
		159584.87	126702.3	1199.44	1854.5	289341.11	
		128394.13	125977.47	518.78	500	255390.38	
		120063.79	111842.42	597.46	474.62	232978.29	

-----  
Police Report 08/01/2008 - 09/30/2008  
-----

SKU	Description	Cost
-----	-------------	------

CUSTOMER -- CASH	CUSTOMER, CASH	INVOICE -- 483101	DATE -- 08/01/2008
00814582405821	CHAMPIONS:RETURN TO --PLAYSTATION 2		20.58
	TOTAL		20.58

CUSTOMER -- CASH	CUSTOMER, CASH	INVOICE -- 483401	DATE -- 08/01/2008
00045496961220	PIKMIN 2	--GAMECUBE	41.75
	TOTAL		41.75

CUSTOMER -- CASH	CUSTOMER, CASH	INVOICE -- 486901	DATE -- 08/08/2008
00893981001483	TECH N9NE	--KILLER	13.39
00711719442127	STAR OCEAN: SECOND S	--PLAYSTATION	45.55
00031719268016	MORTAL KOMBAT 4	--PLAYSTATION	16.63
00013388210282	MEGA MAN LEGENDS	--PLAYSTATION	14.25
00045496735555	CLUBHOUSE GAMES	--	28.49
00023272326753	STAR WARS:KNIGHTS OF	--XBOX	19.00
00023272326753	STAR WARS:KNIGHTS OF	--XBOX	19.00
00083717250449	KARAOKE REVOLUTION P	--	1.00
00045496960056	ETERNAL DARKNESS:SAN	--GAMECUBE	17.67
00096898083935	PHANTASM II	--LE GROS,JAMES	12.33
00012236018636	BAD BLOOD	--LAMAS,LORENZO 6018	12.30
00085391298434	M. BUTTERFLY	--IRONs,JEREMY VVWA	9.02
00651021100127	EVIDENCE OF BLOOD	--STRATHAIRN,DAVID	9.48
00014381055122	THE FIRST WORLD WAR	--ARCHDUKE FRANZ FER	28.52
00024543010944	X-FILES:THE MOVIE	--FIGHT FOR THE FUTU	28.49
	TOTAL		275.12

CUSTOMER -- CASH	CUSTOMER, CASH	INVOICE -- 488301	DATE -- 08/15/2008
00043396510739	INNER CIRCLE	--HULCE,TOM	15.87
00096898120432	COOL AS ICE	--VANILLA ICE VVMC 8	15.15
00018713045690	BRINKS JOB	--PETER FALK	12.83
00707729101598	SEASON FOR MIRACLES,	--GUGINO,CARLA	11.35
00012569032033	FOURTH PROTOCOL	--MICHAEL CAINE	9.49
00096898093934	BURIED ALIVE	--LEIGH,JENNIFER JAS	26.55
00097368348035	CONTAGIOUS (1997)	--LINDSAY WAGNER	18.98



SKU	Title	Desc2	Category	Label	Genre	Location	Sales	Release	NEW SALES		1	USED SALES		1	NEW ONHAND		1	USED ONHAND	
									nunits	nunits01		uunits	uunits01		nonhand	nonhand01		uonhand	uonhand01
00012236175063	SPEED RACER:V3	SPEED RACER	DVD	DVC	ANI	FAM	1	24-May-05	1	1		0	0		1	1		0	0
00012569818408	DEAD POOL:DELUXE EDITION	EASTWOOD,CLINT	DVD	DVC	ACT	CAT	1	03-Jun-08	1	1		0	0		0	0		0	0
00013131111798	KENTUCKY FRIED MOVIE	ZUCKER,JERRY (DVD)	DVD	DVC	COM	CAT	1	07-Sep-04	1	1		0	0		0	0		0	0
00024543237051	GRANDMA'S BOY (UR)	COVERT,ALLEN	DVD	DVC	COM	CAT	1	09-May-06	1	1		0	0		0	0		1	0
00024543244578	BUTCH CASSIDY AND THE SUNDANCE	NEWMAN,PAUL	DVD	DVC	WES	CAT	1	06-Jun-06	1	1		0	0		0	0		0	0
00025192544828	DAZED & CONFUSED:SPECIAL (WS)	LONDON,JASON	DVD	DVC	COM	CAT	1	02-Nov-04	1	1		0	0		1	1		0	0
00025192790225	STING:SPECIAL EDITION	NEWMAN,PAUL	DVD	DVC	COM	CAT	1	06-Sep-05	1	1		0	0		0	0		0	0
00043396170919	DRIVING LESSONS	GRINT,RUPERT	DVD	DVC	COM	CAT	1	03-Jul-07	1	1		0	0		0	0		1	0
00043396222199	DAS BOOT	PROCINOW,JURGE (DVD)	DVD	DVC	DRA	CAT	1	01-Jan-00	1	1		0	0		0	0		0	1
00085391107620	ALTERED STATES	HURT, WILLIAM	DVD	DVC	SCI	CAT	1	27-Oct-98	1	1		0	0		0	0		0	0
00085391134145	MAME	BALL,LUCILLE	DVD	DVC	MUS	CAT	1	19-Jun-07	1	1		0	0		0	0		0	0
00085392322121	GIANT:SPECIAL EDITION	TAYLOR,ELIZABETH	DVD	DVC	DRA	CAT	1	01-Jan-00	1	1		0	0		0	0		0	0
00085392458622	QUICK AND THE DEAD	ELLIOTT,SAM	DVD	DVC	WES		1	01-Jan-00	1	1		0	0		0	0		3	0
00097368876149	HONDO:COLLECTOR'S EDITION	WAYNE,JOHN	DVD	DVC	WES	CAT	1	11-Oct-05	1	1		0	0		0	0		0	0
00097368922044	GO DIEGO GO:HALLOWEEN	GO DIEGO GO	DVD	DVH	ANI	NR	1	26-Aug-08	1	1		0	0		0	0		0	0
00717951001917	① /IL ACTION	TRAVOLTA,JOHN (DVD)	DVD	DVC	DRA	CAT	1	01-Jan-00	1	1		0	0		1	1		0	0
00717951004277	COLOR OF MONEY	CRUISE,TOM	DVD	DVC	DRA	CAT	1	01-Jan-00	1	1		0	0		1	1		0	0
00796019807500	SICKO	MOORE,MICHAEL	DVD	DVC	DOC	CAT	1	06-Nov-07	1	1		0	0		0	0		0	0
00000000000000	WHIRLIGIG	THE CAULFIELDS	DVD				0	01-Jan-01	0	0		0	0		0	0		0	0
00000000000000B		ENGINEERING WEATHER DATA	DVD				0	01-Jan-01	0	0		0	0		0	0		0	0
000000000000052	CKY2K	CKY2K(DVD)	DVD	DVD	SPI	CAT	0	30-Dec-99	0	0		0	0		0	0		0	0
000000000000055	ESCAFLOWNE:DTS LIMITED EDITION	ANIME(DVD) DNB	DVD	DVD	ANI	ANI	0	30-Dec-99	0	0		0	0		0	0		0	0
000000000000089	LOPEZ,JENNIFER	THIS IS ME.. THEN	DVD	DVD	RNB	MUS	0	13-Jan-05	0	0		0	0		0	0		0	0
000000000000092	MAYER:ANY GIVEN THURSDAY	MAYER,JOHN(DVD)	DVD	DVD	RK	MUS	0	30-Dec-99	0	0		0	0		0	0		0	0
00000000000117	ANATOMY	POTENTE, FRANKA	DVD	DVD	SUS	CAT	0	03-Apr-01	0	0		0	0		0	0		0	0
00000000000119	BLIND TERROR	KINSKI, NASTASS.JA	DVD	DVD	DRA	CAT	0	30-Dec-99	0	0		0	0		0	0		0	0
00000000000121	CHAMPION	CARMAN	DVD	DVD	DRA	CAT	0	30-Dec-99	0	0		0	0		0	0		0	0
00000000000122	CALLING	HARRIS,LAURA	DVD	DVD	HOR	CAT	0	15-Jan-02	0	0		0	0		0	0		0	0
00000000000126	DRESS CODE	TILLY, JENNIFER(DVD)	DVD	DVD	DRA	CAT	0	30-Dec-99	0	0		0	0		0	0		0	0
00000000000128	DOWN 'N DIRTY	BUSEY, GARY (DVD)	DVD	DVD	ACT	CAT	0	30-Dec-99	0	0		0	0		0	0		0	0
00000000000132	KILLING MOON	COATES,KIM	DVD	DVD	DRA	CAT	0	30-Dec-99	0	0		0	0		0	0		0	0
00000000000135	SMOOTH OPERATOR	HUGHES,MEGAN	DVD	DVD	DRA	CAT	0	30-Dec-99	0	0		0	0		0	0		0	0
00000000000136	SOULKEEPER	DVD	DVD	DVD	SCI	CAT	0	30-Dec-99	0	0		0	0		0	0		0	0
00000000000148	TOXIC CRUSADERS:MOVIE	TROMA ANIMATED(DVD)	DVD	DVD	ANI	CAT	0	30-Dec-99	0	0		0	0		0	0		0	0
00000000000196	FALLING SKY	ALLEN,KAREN	DVD	DVD	DRA	CAT	0	30-Dec-99	0	0		0	0		0	0		0	0
00000000000214	DOWN TO HELL	JAPANESE(DVD)	DVD	DVD	ACT	CAT	0	30-Dec-99	0	0		0	0		0	0		0	0
00000000000284	PHANTOM EMPIRE: V2	AUTRY,GENE(DVD)	DVD	DVD	WES	CAT	0	30-Dec-99	0	0		0	0		0	0		0	0
00000000000304	POKEMON:MISC DVD	ANIME (DVD)	DVD	DVD	ANI	FAM	0	30-Dec-99	0	0		0	0		0	0		0	0

PURCHASE DETAIL FOR 08/01/2008 THRU 09/30/2008

DESCRIPTION 1	DESCRIPTION 2	CND	NEW	USE	LVL	REC	COST	RETAIL	MARGIN	% PROFIT	INVOICE-VOID OF
HACK: G.U., VOL. 1:		U	0	1	88	88	36.78	38.72	1.94	5.01%	488301
ARIZONA DREAM	DEPP,JOHNNY VVWA	U	0	0	0	0	12.36	13.01	0.65	5.00%	488301
BAD BLOOD	LAMAS,LORENZO 601	U	0	1	0	0	12.30	12.95	0.65	5.02%	486901
BRINKS JOB	PETER FALK	U	0	1	88	88	12.83	13.50	0.67	4.96%	488301
BURIED ALIVE	LEIGH,JENNIFER JA	U	0	0	0	0	26.55	27.95	1.40	5.01%	488301
CHAMPIONS:RETURN TO	PLAYSTATION 2	U	0	0	0	88	20.58	21.66	1.08	4.99%	483101
CLUBHOUSE GAMES		U	0	0	88	88	28.49	25.00	-3.49	-13.96%	486901
CLUBHOUSE GAMES		U	0	0	88	88	23.75	25.00	1.25	5.00%	488301
CONKER'S BAD FUR DAY		U	0	0	88	88	26.02	27.39	1.37	5.00%	488301
CONTAGIOUS (1997)	LINDSAY WAGNER	U	0	1	88	88	18.98	19.98	1.00	5.01%	488301
COOL AS ICE	VANILLA ICE VVMC	U	0	0	0	0	15.15	15.95	0.80	5.02%	488301
CRIMINAL JUSTICE	WHITAKER,FOREST	U	0	0	0	0	21.80	22.95	1.15	5.01%	488301
DIGIMON WORLD	PLAYSTATION	U	0	0	0	88	26.83	28.24	1.41	4.99%	488301
ETERNAL DARKNESS:SAN	GAMECUBE	U	0	0	0	0	17.67	18.60	0.93	5.00%	486901
EVIDENCE OF BLOOD	STRATHAIRN,DAVID	U	0	1	0	0	9.48	9.98	0.50	5.01%	486901
FACE TO KILL FOR, A	CRYSTAL BERNARD	U	0	1	0	0	14.91	15.69	0.78	4.97%	488301
FINAL FANTASY VII	PLAYSTATION	U	0	0	0	88	61.75	65.00	3.25	5.00%	488301
FOURTH PROTOCOL	MICHAEL CAINE	U	0	0	88	88	9.49	9.99	0.50	5.01%	488301
GIA	JOLIE,ANGELINA	U	0	1	0	0	10.39	10.94	0.55	5.03%	488301
HARRY POTTER SORCERE		U	0	1	88	88	22.71	23.91	1.20	5.02%	488301
HOMICIDE: THE COMPLE	SEASONS:01 & 02 (	U	0	0	0	0	22.32	23.49	1.17	4.98%	488301
INNER CIRCLE	HULCE,TOM	U	0	0	0	88	15.87	16.70	0.83	4.97%	488301
KARAOKE REVOLUTION P		U	0	1	88	88	1.00	8.99	7.99	88.88%	486901
KARAOKE REVOLUTION V	PLAYSTATION 2	U	0	0	0	88	33.24	34.99	1.75	5.00%	488301
LAS VEGAS - SEASON T		U	0	0	88	88	30.72	32.34	1.62	5.01%	488301
M. BUTTERFLY	IRONS,JEREMY VVWA	U	0	0	0	0	9.02	9.49	0.47	4.95%	486901
MEGA MAN LEGENDS	PLAYSTATION	U	0	0	0	88	14.25	15.00	0.75	5.00%	486901
METAL GEAR SOLID 3 S		U	0	0	88	88	30.39	31.99	1.60	5.00%	488301
MORTAL KOMBAT 4	PLAYSTATION	U	0	0	0	88	16.63	17.50	0.87	4.97%	486901
NCIS NAVAL CRIMINAL		U	0	0	88	88	34.94	36.78	1.84	5.00%	488301
PHANTASM II	LE GROS,JAMES	U	0	0	0	88	12.33	12.98	0.65	5.01%	486901
PIKMIN 2	GAMECUBE	U	0	0	0	88	41.75	43.95	2.20	5.01%	483401
SEASON FOR MIRACLES,	GUGINO,CARLA	U	0	0	0	0	11.35	11.95	0.60	5.02%	488301
SKIES OF ARCADIA LEG	GAMECUBE	U	0	0	0	0	24.69	25.99	1.30	5.00%	488301
SLINGS ND ARROWS: TH	PAUL GROSS	U	0	1	88	88	37.91	39.91	2.00	5.01%	488301
STAR OCEAN: SECOND S	PLAYSTATION	U	0	0	0	88	45.55	47.95	2.40	5.01%	486901
STAR PORTAL	BAUER,STEVEN	U	0	1	0	0	9.72	10.23	0.51	4.99%	488301
STAR WARS:KNIGHTS OF	XBOX	U	0	0	0	88	19.00	20.00	1.00	5.00%	486901
STAR WARS:KNIGHTS OF	XBOX	U	0	0	0	88	19.00	20.00	1.00	5.00%	486901
TALES OF SYMPHONIA	GAMECUBE	U	0	0	0	88	21.61	22.75	1.14	5.01%	488301
TECH N9NE	KILLER	U	0	1	88	88	13.39	14.09	0.70	4.97%	486901
THE FIRST WORLD WAR	ARCHDUKE FRANZ FE	U	0	1	88	88	28.52	30.02	1.50	5.00%	486901
VERTIGO	STEWART,JAMES (DV	U	0	0	0	0	18.79	19.78	0.99	5.01%	488301
WAY OF THE SAMURAI 2	PLAYSTATION 2	U	0	0	0	88	26.58	27.98	1.40	5.00%	488301

MEDIA WHOLESALE.  
# 366 3948 LEGACY DRIVE  
SUITE 106  
PLANO, TX 75023

09/30/2008  
15:44:06

-----  
Sales by the hour for 08/01/2008 thru 09/30/2008  
-----

Hour	Transaction	Dollars	Buys
0:00 - 0:59	0	0.00	0.00
1:00 - 1:59	0	0.00	0.00
2:00 - 2:59	0	0.00	0.00
3:00 - 3:59	0	0.00	0.00
4:00 - 4:59	0	0.00	0.00
5:00 - 5:59	1	18.89	0.00
6:00 - 6:59	0	0.00	0.00
7:00 - 7:59	2	0.00	0.00
8:00 - 8:59	11	143.11	0.00
9:00 - 9:59	14	203.06	0.00
10:00 - 10:59	7	25.62	20.58
11:00 - 11:59	14	218.47	0.00
12:00 - 12:59	2	37.93	0.00
13:00 - 13:59	11	41.27	682.16
14:00 - 14:59	9	61.39	316.87
15:00 - 15:59	13	140.21	0.00
16:00 - 16:59	4	57.29	0.00
17:00 - 17:59	5	136.40	0.00
18:00 - 18:59	4	67.75	0.00
19:00 - 19:59	0	0.00	0.00
20:00 - 20:59	2	50.71	0.00
21:00 - 21:59	8	114.25	0.00
22:00 - 22:59	2	49.51	0.00
23:00 - 23:59	1	7.99	0.00
Totals	110	1,373.85	1,019.61

ACTIVITY BY NET SALE DOLLARS - DOES NOT INCLUDE ANY PURCHASES:  
ACTIVITY BY NET PURCHASES - INCLUDES TRADE-INS:

SALES DETAIL FOR 08/01/2008 THRU 09/30/2008

DESCRIPTION 1	DESCRIPTION 2	CAT	TYP	CND	NEG	COST	PRICE	MARGIN	% PROFIT	INVOICE-VOID OF
AMERICA'S ARMY TRUE		GAM	S	U		21.00	21.00	0.00	0.00%	495501
ARIZONA DREAM	DEPP,JOHNNY VVWA 132	VHS	S	U		12.36	12.98	0.62	4.78%	493901
BLACK BEAUTY	LESTER,MARK	VHS	S	U		0.01	0.01	0.00	0.00%	488001
BUMP IN THE NIGHT -		VHS	S	U		1.00	1.00	0.00	0.00%	501001
BURIED ALIVE	LEIGH,JENNIFER JASON	VHS	S	U		21.75	21.75	0.00	0.00%	500501
CASH MCCALL	JAMES GARNER	VHS	S	U		9.89	9.99	0.10	1.00%	486101
CASTLEVANIA DAWN OF		GAM	S	U		25.18	25.18	0.00	0.00%	484301
CHAMPIONS:RETURN TO	PLAYSTATION 2	GAM	S	U		20.58	21.66	1.08	4.99%	483201
CLUBHOUSE GAMES		GAM	S	U		28.49	28.49	0.00	0.00%	487801
CLUBHOUSE GAMES		GAM	S	U		23.75	30.00	6.25	20.83%	491601
CONKER'S BAD FUR DAY		GAM	S	U		26.02	26.90	0.88	3.27%	489601
COOL AS ICE	VANILLA ICE VVMC 812	VHS	S	U		15.15	15.86	0.71	4.48%	489201
CRIMINAL JUSTICE	WHITAKER,FOREST	VHS	S	U		13.75	13.99	0.24	1.72%	500801
DIGIMON WORLD	PLAYSTATION	GAM	S	U		26.83	27.85	1.02	3.66%	490401
ETERNAL DARKNESS:SAN	GAMECUBE	GAM	S	U		18.89	18.89	0.00	0.00%	483601
ETERNAL DARKNESS:SAN	GAMECUBE	GAM	S	U		17.67	17.67	0.00	0.00%	487601
F1 2002	PLAYSTATION 2	GAM	S	U		19.97	19.98	0.01	0.05%	491801
FATAL FRAME	XBOX	GAM	S	U		26.51	26.51	0.00	0.00%	495401
FINAL FANTASY VII	PLAYSTATION	GAM	S	U		61.75	61.75	0.00	0.00%	489701
FOURTH PROTOCOL	MICHAEL CAINE	VHS	S	U		9.49	9.94	0.45	4.53%	496201
FROGGER: THE GREAT Q		GAM	S	N		1.00	1.98	0.98	49.49%	487701
GIA	JOLIE,ANGELINA	VHS	S	U		10.39	10.94	0.55	5.03%	494701
GIA	JOLIE,ANGELINA	VHS	S	U		-10.39	-10.94	-0.55	-5.03%	494801-494701
GIA	JOLIE,ANGELINA	VHS	S	U		10.39	10.94	0.55	5.03%	494901
GIA	JOLIE,ANGELINA	VHS	S	U		-10.39	-10.94	-0.55	-5.03%	495001-494901
GILMORE GIRLS	SEASON 2	DVD	S	U		19.85	19.85	0.00	0.00%	491401
HARRY POTTER SORCERE		GAM	S	U		22.71	23.91	1.20	5.02%	493701
HARRY POTTER SORCERE		GAM	S	U		-22.71	-23.91	-1.20	-5.02%	493801-493701
HARRY POTTER SORCERE		GAM	S	U		22.71	23.91	1.20	5.02%	494002
HARRY POTTER SORCERE		GAM	S	U		-22.71	-23.91	-1.20	-5.02%	494102-494002
HARRY POTTER SORCERE		GAM	S	U		22.71	23.91	1.20	5.02%	494202
HARRY POTTER SORCERE		GAM	S	U		-22.71	-23.91	-1.20	-5.02%	494302-494202
HARRY POTTER SORCERE		GAM	S	U		22.71	23.91	1.20	5.02%	494402
HARRY POTTER SORCERE		GAM	S	U		-22.71	-23.91	-1.20	-5.02%	494502-494402
HARVEST MOON A WONDE		GAM	S	U		23.75	25.00	1.25	5.00%	483701
HARVEST MOON A WONDE		GAM	S	U		-23.75	-25.00	-1.25	-5.00%	483801-483701
HARVEST MOON A WONDE		GAM	S	U		18.00	18.00	0.00	0.00%	495601
HARVEST MOON A WONDE		GAM	S	U		18.00	18.00	0.00	0.00%	495901
HIGH STRUNG	CARREY,JIM	VHS	S	U		16.75	16.75	0.00	0.00%	501201
HOMICIDE: THE COMPLE	SEASONS:01 & 02 (DVD	DVD	S	U		22.32	22.32	0.00	0.00%	489801
INNER CIRCLE	HULCE,TOM	VHS	S	U		15.87	16.55	0.68	4.11%	490601
KARAOKE REVOLUTION V	PLAYSTATION 2	GAM	S	U		33.24	34.96	1.72	4.92%	489901
KING LEAR-1983-LAURE		DVD	S	U		15.00	15.00	0.00	0.00%	486701




# 366 3948 LEGACY DRIVE  
SUITE 106  
PLANO, TX 75023

15:44:22

08/01/2008 - 09/30/2008

Cat		Sales	Cost	Margin	% Profit	% Sales	Qty
GAM - VIDEO GAME							
Used	Sales	903.02	870.76	32.26	3.57%	65.73%	38
New	Sales	1.98	1.00	0.98	49.49%	0.14%	1
GAM Total		905.00	871.76	33.24	3.67%	65.87%	39
DVD - MOVIE							
Used	Sales	262.80	250.00	12.80	4.87%	19.13%	12
DVD Total		262.80	250.00	12.80	4.87%	19.13%	12
MUS - MUSIC							
Used	Sales	0.00	0.00	0.00	0.00%	0.00%	0
MUS Total		0.00	0.00	0.00	0.00%	0.00%	0
VHS - MOVIE							
Used	Sales	206.05	194.67	11.38	5.52%	15.00%	21
VHS Total		206.05	194.67	11.38	5.52%	15.00%	21
Total Sale		1,373.85	1,316.43	57.42	4.18%		72

			Serial Number Report		
			Store : 		
Category	Description		SKU	Serial Number	Invoice Number
HDW	GAME BOY ADVANCE		00000000099918	AU583721705	690701
HDW	GAMEBOY ADVANCE SP		00045496715496	XU512568463	1086302
HDW	GAMEBOY ADVANCE SYSTEM		00333333333251	AU646806035	854502
HDW	GAMEBOY MICRO SYSTEM		00000000109712	MC104075249	762203
HDW	GAMECUBE SYSTEM WITH 1 CONTROL		00000000099905	DS202982487	765501
HDW	GAMECUBE SYSTEM WITH 1 CONTROL		00000000099905	DS129976552	963502
HDW	GAMECUBE SYSTEM WITH 1 CONTROL		00000000099905	DS362126868	1006702
HDW	GAMECUBE SYSTEM WITH 1 CONTROL		00000000099905	DS129647643	1032902
HDW	GAMECUBE SYSTEM WITH 1 CONTROL		00000000099905	DS404998132	1106502
HDW	N64 SYSTEM W/ 1 CONT + EXP. PA		00000000099914	NS107976604	367901
HDW	N64 SYSTEM W/ 1 CONTROLLER		00000000099913	NS291158039	130101
HDW	N64 SYSTEM W/ 1 CONTROLLER		00000000099913	NS289181797	392401
HDW	N64 SYSTEM W/ 1 CONTROLLER		00000000099913	NS262767512	621102
HDW	N64 SYSTEM W/ 1 CONTROLLER		00000000099913	NS261806762	709701
HDW	NINTENDO DS		00000000099920	700460326	222502
HDW	NINTENDO DS LITE		00000000114738	UG125800479	875501
HDW	NINTENDO DS LITE		09788565000223	UG467170476	994002
HDW	NINTENDO DS LITE		00000000114738	UG462708605	1039001
HDW	NINTENDO WII		00045496880019	LU574825450	379201
HDW	NINTENDO WII		00045496880019	LU572943033	762203
HDW	PLAYSTATION 1 SYSTEM		00994864700047	PA224358581	931603
HDW	PLAYSTATION 1 SYSTEM		00994864700047	PA803841824	931603
HDW	PLAYSTATION 2 SLIM W/ 1 CONTRO		00711719770107	NA	2802
HDW	PLAYSTATION 2 SLIM W/ 1 CONTRO		00711719770107	PK431018636	500202
HDW	PLAYSTATION W/ 1 DUAL SHOCK		00000000099901	U3076889	1190701
HDW	PS ONE SYSTEM		00000000099902	PO136812300	182401
HDW	PS2 REGULAR W/ 1 CONTROLLER		00000000073809	PT405164406	771101
HDW	PS2 REGULAR W/ 1 CONTROLLER		00000000073809	PX370974703	1064902
HDW	PS2 REGULAR W/ 1 CONTROLLER		00000000073809	PX819499880	1094402
HDW	PS2 SLIM W/ 1 CONTROLLER		00000000073806	PK833015028	1103402
HDW	PS3 HARDWARE 40GB		00711719800606	CF205092954	16502
HDW	PS3 HARDWARE 40GB		00711719800606	CE733976931	482602
HDW	PS3 HARDWARE 40GB		00711719800606	CE737397206	640702
HDW	PSP 2000 SLIM SYSTEM		00711719851004	AB010538418	732102

From: 09/01/2008 To: 09/07/2008

Total Hours for Week:	38:44:16
-----------------------	----------